



Images shows model SPSH-18 with optional castors

### Heavy Duty Stock Pots

Cast Iron, 3 ring, 26kw burner  
Fitted with 2 gas valves – one operates the two inner rings, the other the outer ring  
No pilots fitted – prevents clogging  
Adjustable low flame setting  
Removable drip tray under open burners  
26 kW ¾"

**SPSH-18 450w 530d 450h - £516.00 nett**  
**ARSP-18 450w 530d 610h - £552.00 nett**



Images shows convection oven with optional castors and back splash & shelf

### AR6 - 6 Burner Range

Heavy duty 6 burner range, fitted with high powered 9kw double crown burners (32,000 btu's) for high performance, and heavy gauge welded construction to give durability  
Dimensions: 915w x 820d x 914h  
Power Requirements:  
Gas - 67kw - ¾ inch Supply

**£1,434.00 nett**



Image shows optional castors

### American Range AR10

Heavy duty 10 burner range, fitted with high powered 9kw double crown burners (32,000 btu's) for high performance, and heavy gauge welded construction to give durability

Dimensions: 1525w x 812d x 915h  
Power Req: Gas; 115kw - ¾ inch Supply

**£3,588.00 nett**



Image shows optional castors

### American Range AR24G-2B

Heavy duty griddle top range, fitted with 24" griddle smooth griddle plate and 2 high powered 9kw double crown burners (32,000 btu's) for high performance, and heavy gauge welded construction to give durability

Dimensions: 915w x 812d x 915h  
Power Req: Gas; 41kw - ¾ inch Supply

**£1,656.00 nett**



Image shows optional castors

**AF35/50 Single tank gas fryer -  
20 litre**

a high output 3 burner fryer with 120,000 btu's output, ideal for fast food operations as well as other operators needing quick recovery times.

Dimensions: 400w x 768d x 900h  
Power: Gas - 35kw - 1/2 inch supply

**£792.00 nett**



Image shows optional castors

**AF25/25 Twin tank gas fryer -  
10+10 litre**

a high output gas fryer, fitted with 2 burner tubes per tank and 80,000 btu's output per tank, specially designed for fast food operations as well as other operators needing quick recovery times.

Dimensions; 400w x 768d x 900h  
Power: Gas - 47kw - 2 x 3/4 inch supply

**£1,674.00 nett**



Image shows optional castors

**American Range AF50/25 Twin  
tank gas fryer - 22+10 litre**


a high output fryer with one large frying tank of 120,000 btu's output and one smaller with 80,000 btu's, specially designed for fast food operations as well as other operators needing quick recovery times.

Dimensions: 590w x 768d x 900h  
Power: Gas - 59kw - 2 x 3/4 inch supply

**£2,220.00 nett**

**set of castors (2 braked)**

**£90.00 nett**



**Bakers Pride XXE-4 Heavy duty counter top radiant gas chargrill**

Low profile design.  
Fitted with cast iron cooking grates which have a choice of 3 height settings. 6 burners individually controlled.

Dimensions: 667w x 762d x 400h (includes legs)

Power Requirements: Gas; 23.44kw 3/4 inch supply

**£2,118.00 nett**



**Bakers Pride XXE-6 Heavy duty counter top radiant gas chargrill**

Low profile design.  
Fitted with cast iron cooking grates which have a choice of 3 height settings. 6 burners individually controlled.

Dimensions: 933w x 762d x 403h (includes legs)

Power Requirements: Gas 35.16kw ¾ inch supply

**£2,934.00 nett**



**Bakers Pride L-36R 36" Gas "Radiant chargrill" / lava rock**

Heavy duty counter top radiant chargrill, with low profile design, is only 403mm high to the grilling surface making it ideal for use on refrigerated base counters. Fitted with cast iron cooking grates which have a choice of 3 height settings.

Dimensions: 915w x 838d x 457h  
Power Requirements: Gas; 35kw 3/4 inch supply

**£3,072.00 nett**



**Bakers Pride L-48R 48" Gas "Radiant chargrill" / lava rock**

Heavy duty counter top radiant chargrill, with low profile design, is only 403mm high to the grilling surface making it ideal for use on refrigerated base counters. Fitted with cast iron cooking grates which have a choice of 3 height settings.

Dimensions: 1219w x 838d x 457h  
Power Requirements: Gas; 48kw 3/4 inch supply

**£3,540.00 nett**



**APW Wyott GGT-36i-CE 36" Gas griddle**

with low profile design, the GGT-36s is only 403mm high to the grilling surface making it ideal for use on refrigerated base counters. Fitted with thermostatic controls

Dimensions: 914w x 679d x 394h (includes legs)  
Power Req: Gas; 22kw 3/4 inch supply

**£1,638.00 nett**



**APW Wyott GGT-48i-CE 48" Gas griddle**

with low profile design, the GGT-48s is only 403mm high to the grilling surface making it ideal for use on refrigerated base counters. Fitted with thermostatic controls

Dims: 1219w x 679d x 394h (includes legs)  
Power Req: Gas; 29.3kw 3/4 inch supply

**£2,388.00 nett**



**APW Wyott HDDi-3 Triple Warming drawer**

Designed to keep products at optimum serving temperature, allowing food to be pre-prepared and ready for serving. As it uses 1/1gn containers it can be used in conjunction with combi ovens and other appliances using the gastro norm format.

Dimensions: 705w x 533d x 856h (with legs)  
Power Requirements: Elec; 1.35kw - 6 amp

**£2,346.00 nett**



**APW Wyott M-95-2-FC Radiant Bun Toaster**

Developed for great toast and energy saving. With "Now toast technology" allows the user to begin toasting without pre-heat times. Upto 76% energy saving can be gained.

Dimensions: 609w x 431d x 762h  
Power Requirements: Elec; 2.8kw - 13amp

**£918.00 nett**



### Italforni EK4 Single deck electric pizza oven

The Italforni EK4 single deck electric pizza oven, ideal for Pizzeria's, Pubs, Takeaways etc. Its compact size still allows you to cook 4 x 12"

Dimensions: 890w x 735d x 325h  
Power Requirements: 4.5kw - 230v 20amp or 400v 3 phase.

**£594.00 nett**



### Italforni EK44 Twin deck electric pizza oven

The Italforni EK44 twin deck electric pizza oven, ideal for Pizzeria's, Pubs, Takeaways etc. Its compact size still allows you to cook 4 x 12" pizzas per oven deck.

Dimensions: 890w x 735d x 595h  
Power Requirements: 9kw - 230v or 415v

**£936.00 nett**



### Italforni TKA2 Twin deck electric pizza oven

Ideak for Pizzeria's, Pubs, Takeaways etc. Its compact size still allows you to cook 4 x 12" pizzas per oven deck.

Dims: 910w x 840d x 700h (1500h with stand)  
Power Requirements: 9kw - 230v or 415v

**£1,308.00 nett**



### Italforni TKD2 Twin deck electric pizza oven

Ideal for Pizzeria's, Pubs, Takeaways etc. Its slimline depth, only 940mm, still allows you to cook 6 x 12" pizzas per oven deck.

Dimensions: 1250w x 940d x 700h  
Power Requirements: 13kw - 230v or 415v 3 phase This can be wired in single or three phase on site.

**£1,674.00 nett**



**Giorik Easyair ETE5-W 5 rack  
Electric Combi/Bake off oven  
with wash system**

Medium use oven, with automatic inbuilt wash system, Touchscreen controls and core cooking probe

Dimensions: 870w x 750d x 660h  
Power Requirements: Electric; 6.3kw - 230v or 415v (can be set on site)

**£2,940.00 nett**



**Giorik KT061W/M 6 x 1/1gn  
Slimline Electric combi oven  
with wash system**

Medium / Heavy use oven, fitted as standard with easy to use programmable Touchscreen controls, an inbuilt wash system, automatic reversing fan with 6 speeds & individual shelf programming.

Dimensions: 520w x 803d x 770h  
Power Req: Electric; 6.9kw - 230v or 415v (3 phase)  
Core Probe option £125.00

**£3,816.00 nett**



**Giorik Easyair ETE10X-W 10  
rack Electric Combi/Bake off  
oven with wash system**

Medium use oven, with automatic inbuilt wash system, Touchscreen controls and core cooking probe

Dimensions: 870w x 750d x 1120h  
Power Requirements: Electric; 17.3kw - 415v (32 amp)

**£4,134.00 nett**



**Giorik ST30 "Hi Touch" Rise &  
Fall Electric salamander grill**

With touchscreen controls - 3 cooking programmes can be stored with 2 phases of cooking + "Cook and Hold" function with auto start/stop

Dimensions: 570w x 530d x 520h  
Power Requirements: Electric; 4.5kw 230v or 415v (selectable on site)

**£1,674.00 nett**



**Brema CB184A-I Undercounter Icemaker - 25kg Output**

Upto 25kg output per 24 hours with a bin storage capacity of 4kg - Output will depend on air temperature and water temperature  
Fitted with Cleanable anti scale filter - helps prevent scale build up  
**Dims; 355w x 470d x 595hmm**  
**Power Requirements: 230v - 13amp**

**£576.00 nett**



**Brema CB249A Undercounter Icemaker - 34kg Output**

Upto 34kg output per 24 hours with a bin storage capacity 9kg - Output will depend on air temperature and water temperature  
Fitted with removeable and cleanable air filter.

**Dimensions: 390w x 470d x 695hmm**  
**Power Requirements: 230v - 13amp**

**£648.00 nett**



**Brema CB249A/P Undercounter Icemaker with drain pump - 34kg Output**

Upto 34kg output per 24 hours with a bin storage capacity 9kg - Output will depend on air temperature and water temperature  
Internal drain pump fitted - allows easy installation  
**Dimensions: 390w x 470d x 695hmm**  
**Power Requirements: 230v - 13amp**

**£768.00 nett**



**Brema CB316A/P Undercounter Icemaker with Internal drain pump - 35kg Output**

Upto 35kg output per 24 hours with a bin storage capacity 16kg - Output will depend on air temperature and water temperature  
Internal drain pump fitted - allows easy installation  
**Dimensions: 500w x 580d x 690hmm (+110-150mm if feet are fitted)**  
**Power Requirements: 230v - 13amp**

**£816.00 nett**

**BKI LPF-FC Electric pressure fryers**

This BKI electric pressure fryer is efficient and economical to use. Pressure cooking delivers moist tender fried food with 30% longer holding capability. The fryer is fitted with an in-built filtration system.

Computer controls with 8 menu settings  
 Chicken capacity – 4 head or 6.4kg (14 lbs) per batch  
 16 Litre capacity frying pot (round) - supplied with tiered basket as standard,  
 Inbuilt "Quick disconnect" filtration system allow easy and safe oil cleaning - oil life can be doubled by using the filtration system, supplied with hose and drainer tank.  
 "Instant on" electronic ignition for easy lighting  
 Safety - fitted with pressure release valve  
 Built in cool zone collects surplus breading to allow easier cleaning  
 Stainless steel cabinet exterior - allows easy cleaning  
 Pressure regulated lid interlock system

Dimensions:470w x 927 x 1257h mm  
 Power Requirements: Elec; 13.5kw - 3 phase



Image shows Computer Control version

**LPF-FC Electric pressure fryer –  
Computer controls - £5,988.00 nett**

**BKI LGF-FC Gas pressure fryer**

This BKI LGF-FC gas pressure fryer is efficient and economical to use. Low pressure cooking delivers moist tender fried food with 30% longer holding capability. The fryer is fitted with an inbuilt filtration system.

Computer controls with 8 menu settings  
 Chicken capacity– 4 head or 6.4kg (14 lbs) per batch  
 16 Litre capacity frying pot - supplied with open basket as standard, Tiered option available  
 Inbuilt "Quick disconnect" filtration system allow easy and safe oil cleaning - oil life can be doubled by using the filtration system.  
 "Instant on" electronic ignition for easy lighting  
 Built in cool zone collects surplus breading to allow easier cleaning  
 Pressure regulated lid interlock system  
 Supplied Natural gas but can be ordered for LPG use.

Dimensions:470w x 1035d x 1353h mm  
 Power Requirements: Gas - 26.3kw + 230v 13 amp supply



Image shows optional landing table

**LGF-FC Gas pressure fryer –  
Computer controls - £7,800.00 nett**

**all prices are nett with 2 years parts & 1 year labour warranty excluding vat.**

**Northern Refrigeration & Catering Equipment**  
 Tel: 01246 434 340  
 www.nrcltd.co.uk  
 enquiries@nrcltd.co.uk



2 year parts &  
1 year labour warranty